

according to Regulation (EC) No 1907/2006, Article 31,  
as modified by Regulation (EU) No 2015/830

Edition 2 Revision N° 1

Revision: 6/3/2017, Printing date : 3/5/2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier Mixture identification:

Trade name: DIGISTAR PES UPPER YELLOW

Trade code: M500715L001000

### 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Digital printing ink

Uses advised against:

All those who are not listed in the recommended uses

### 1.3. Details of the supplier of the safety data sheet Company:

JK GROUP S.p.A. a Socio Unico

SP 32, Novedrate, 33

22060 Novedrate (CO), IT Ph.

+39 031 2074400

www.kiiandigital.com

Competent person responsible for the safety data sheet:

safety@j-k-group.com

### 1.4. Emergency telephone number

New Zealand: **0800 POISON** (0800 764 766)

#### Supplier Details

Hitec-Ink

Unit 4 / 231 Annex Road

Middleton 8025

Ph 03 6660100

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Adverse physicochemical, human health and environmental effects: No other hazards

### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard

pictograms: None

Hazard statements: None

Precautionary statements: None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards vPvB Substances: None - PBT Substances:

None Other Hazards:

No other hazards

### SECTION 3: Composition/information on ingredients

3.1. Substances N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
< 0.05%	1,2-benzisothiazol3(2H)-one; 1,2benzisothiazolin-3-one	Index 613-088-00-6 number: CAS: 2634-33-5 EC: 220-120-9	⚠ 3.1/2/Inhal Acute Tox. 2 H330 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 4.1/C2 Aquatic Chronic 2 H411 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.4.2/1 Skin Sens. 1 H317
< 0.05%	2-methyl-4-isothiazolin3-one	CAS: 2682-20-4 EC: 220-239-6	⚠ 3.1/3/Oral Acute Tox. 3 H301 ⚠ 3.1/2/Inhal Acute Tox. 2 H330 ⚠ 3.2/1B Skin Corr. 1B H314 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 4.1/C2 Aquatic Chronic 2 H411 ⚠ 3.4.2/1A Skin Sens. 1A H317

Note: Upper limit is not included into the range. The full wording of hazard (H) phrases is given in section 16 of the sheet.

### SECTION 4: First aid measures

4.1. Description of first aid measures Contact with skin:

Wash with plenty of water and soap.

Contact with eyes:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Swallowing:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None



## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Recommended extinguishers:

Water, CO<sub>2</sub>, Foam, Chemical powders, according to the materials involved in the fire.

Extinguishing media which must not be used for safety reasons: None in particular.

### 5.2. Special hazards arising from the substance or mixture Do not

inhale explosion and combustion gases.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up Wash with plenty of water.

### 6.4. Reference to other sections

See also section 8 and 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

Adopt good working practices, so that the product is not released into the environment. See also section 8 for recommended protective equipment.

### 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises: Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values N.A.

PNEC Exposure Limit Values N.A.

#### 8.2. Exposure controls Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

#### Protection for skin:

No special precaution must be adopted for normal use.

#### Protection for hands:

Not needed for normal use. Respiratory

#### protection:

Not needed for normal use.

Thermal Hazards: None

Environmental exposure controls: None

Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance:	liquid	--	--
Colour:	yellow	--	--
Odour:	mild	--	--
Odour threshold:	not available	--	--
pH:	8 - 9	--	@ 25 °C
Melting point / freezing point:	not available	--	--
Initial boiling point and boiling range:	> 100°C / 212 °F	--	--
Flash point:	> 130 °C / 266 °F	--	--
Evaporation rate:	not available	--	--
Solid/gas flammability:	not applicable	--	Not applicable, it's a liquid

Upper/lower flammability or explosive limits:	not available	--	--
Vapour pressure:	not available	--	--
Vapour density:	not available	--	--
Relative density:	1.090 - 1.120	--	@ 25 °C
Solubility in water:	Not Relevant	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient (noctanol/water):	Not Relevant	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	Not Relevant	--	--
Viscosity:	4 - 4.5 cPs	--	@ 25 °C
Explosive properties:	Not Relevant	--	--
Oxidizing properties:	Not Relevant	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant	--	--
Fat Solubility:	Not Relevant	--	--
Conductivity:	Not Relevant	--	--

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions None

#### 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials None in particular.

#### 10.6. Hazardous decomposition products None.

### SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the product:

DIGISTAR PES UPPER YELLOW

a) acute toxicity

Not classified

Based on calculation method, the classification criteria are not met b) skin

corrosion/irritation

Not classified

Based on calculation method, the classification criteria are not met c)

serious eye damage/irritation

Not classified

Based on calculation method, the classification criteria are not met d)

respiratory or skin sensitisation

Not classified

Based on calculation method, the classification criteria are not met e)

germ cell mutagenicity

Not classified

Based on calculation method, the classification criteria are not met f)

carcinogenicity

Not classified

Based on calculation method, the classification criteria are not met g)

reproductive toxicity

Not classified

Based on calculation method, the classification criteria are not met h)

STOT-single exposure

Not classified

Based on calculation method, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on calculation method, the classification criteria are not met j)

aspiration hazard

Not classified

Based on calculation method, the classification criteria are not met

Toxicological information of the main substances found in the product: N.A.

**SECTION 12: Ecological information**

12.1. Toxicity

Ecotoxicological information of the product:

DIGISTAR PES UPPER YELLOW

Not classified for environmental hazards

Based on calculation method, the classification criteria are not met Ecotoxicological

information of the main substances found in the product:

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a)

Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 1.6 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: NOEC - Species: Fish 0.21 mg/l

b) Aquatic chronic toxicity:



Endpoint: EC50 - Species: Daphnia 3.27 mg/l - Duration h: 48 - Notes: Daphnia magna  
 Endpoint: NOEC - Species: Daphnia 1.2 mg/l - Notes: 21 d / Daphnia magna e) Plant toxicity:  
 Endpoint: EC50 - Species: Algae 0.11 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum  
 2-methyl-4-isothiazolin-3-one - CAS: 2682-20-4  
 a) Aquatic acute toxicity:  
 Endpoint: LC50 - Species: Fish 6 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss  
 Endpoint: NOEC - Species: Fish 2.38 mg/l - Notes: 28 d / Pimephales promelas b) Aquatic chronic toxicity:  
 Endpoint: EC50 - Species: Daphnia 1.68 mg/l - Duration h: 48 - Notes: Daphnia magna  
 Endpoint: NOEC - Species: Daphnia 0.55 mg/l - Notes: 21 d / Daphnia magna e) Plant toxicity:  
 Endpoint: EC50 - Species: Algae 0.157 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subspicata  
 Endpoint: NOEC - Species: Algae 0.03 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subspicata  
 12.2. Persistence and degradability  
 2-methyl-4-isothiazolin-3-one - CAS: 2682-20-4  
 Biodegradability: Readily biodegradable - Test: N.A. - Duration: N.A. - %: N.A. - Notes: N.A.  
 12.3. Bioaccumulative potential N.A.  
 12.4. Mobility in soil N.A.  
 12.5. Results of PBT and vPvB assessment vPvB Substances:  
 None - PBT Substances: None  
 12.6. Other adverse effects  
 None

## SECTION 13: Disposal considerations

13.1. Waste treatment methods  
 Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Dispose of waste product or used containers according to local regulations.  
 Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

## SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number  
 ADR-UN number: not applicable IATA-Un number:  
 not applicable  
 IMDG-Un number: not applicable  
 14.2. UN proper shipping name  
 ADR-Shipping Name: not applicable IATA-Shipping Name:  
 not applicable IATA-Technical name: not applicable  
 IMDG-Shipping Name: not applicable  
 IMDG-Technical name: not applicable

14.3. Transport hazard class(es)

ADR-Label: not applicable IATA-Label: not applicable

IMDG-Label: not applicable

14.4. Packing group

ADR-Packing Group: not applicable

IATA-Packing group: not applicable

IMDG-Packing group: not applicable

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

ADR-Tunnel Restriction Code: not applicable IATA-Passenger

Aircraft: not applicable IATA-Cargo Aircraft: not applicable

IMDG-Page: not applicable

IMDG-EMS: not applicable

IMDG-MFAG: not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

**SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: Restriction

40

Restrictions related to the substances contained: No restriction.

Volatile Organic compounds - VOCs = 0.01 %

Volatile Organic compounds - VOCs = 0.07 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)





Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H330 Fatal if inhaled.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2015/830.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold



The information contained herein is based on our state of knowledge at the above-specified date. It



refers solely to the product indicated and constitutes no guarantee of particular quality.  
It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.  
This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity. TLV:
	Threshold Limiting Value. TWA: Time-
weighted average WGK:	German Water Hazard Class.